No Pages 4 Copy No 🔄 🔄

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF

ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

SUBJECT : Surface-to-Air Missile Site

NO : PIC/JB-51/60 DATE : 4 April 1960

LOCATION: 12 nm SW of Dnepropetrovsk,

COORD: 48°22'N 34°47'E

USSR





Figure 1. SAM SITE 12 NM SW OF DNEPROPETROVSK. DECLASS REVIEW by NGA/DOD

VITAL RECORDS COPY

TOP SECRET

25X1

Approved For Release 2007/03/03: CIA-RDP78T04751A000300060011-5



Approved For Release 2007/03/03: CIA-RDP78T04751A000300060011-5

TOP SECRET

PIC/JB-51/60

25X1

						TV	

Dnepropetrovsk RR Station, Yards and Shops, Main, 48°28'41"N - 35°00'51"E.

LOCATION:

12 nm southwest of reference point.

FUNCTION:

One of a group of sites deployed for the defense of Dnepropetrovsk.

SITE STATUS:

Complete and operational.

LAUNCH FACILITIES:

Six launch revetments with six launchers emplaced.

MISSILES:

Three canvas-covered missiles and two possible canvas-covered missiles on trailers in hold revetments.

ELECTRONICS AND ASSOCIATED EQUIPMENT:

FRUIT SET radar with associated vans and/or trailers positioned in circular revetment at center of operations area.

Probable acquisition radar with associated van located in northeast corner of operations area.

COMMUNICATIONS:

None visible.

OVERHEAD POWER and/or COMMUNICATION LINE:

Overhead wire line leads to vicinity of site.

TRANSPORTING EQUIPMENT:

Three tractors, 3 missile trailers, 2 possible tractors and 2 possible missile trailers located in hold revetments.

Undetermined number of unidentified vehicles located in vehicle parking area.

PIC/JB-51/60

SUPPORT AREA:

Structures

Description	Roof Type	No Stories	Dimensions (ft)
Administration	Hip	2	155 x 60
4 Barracks	Gable	2	75×35
Guardhouse	Gable	1	40×20

Several miscellaneous small buildings also are located in the support area.

SECURITY:

Security fence encloses site.

Security fence encloses operations area.

REMARKS:

Site is situated on gently rolling terrain in a predominantly agricultural area.

25X1

MAP REFERENCES:

WAC 234; AMS Series N 501, Sheet NM 36-12.